

# CATWALKER TWIN LANE

CREATE YOUR IDEAL ROUTE

This sushi belt can be integrated into any restaurant concept or event! Create your own conveyor-belt route, moving back and forth in your space. Your guests can pick the food, drinks or products they want from the Catwalker: a unique concept that will generate word-of-mouth advertising quickly.



## Measurements

- Length: 1-50 m
- Width: 50 cm\*
- Height: 7 cm

\* For restaurants we also offer modules of 40 cm

## Presentation platters

- Adjustable: every 18 cm 1 platter (Ø 14cm)
- Max. load per platter: ca. 2 kg

## Power consumption\*

- 1 motor: 150 W
- 2 motors: 300 W
- 3 motors: 450 W

\* Number of motors depends on total length.

## Power outlet

- 1x 230 V

## Create your own conveyor-belt route

By combining straight and curved modules you can create the desired route for your Route Return catwalk. The basic Catwalker Twin Lane set consists of 2 end pieces with a length of 100 cm each, on which the products make a 180-degree turn. These two pieces are always required, since at the end the products go back.

In between the end pieces you can add straight and curved modules as desired. The modules available can be seen on the next page. Just let us know exactly what modules/dimensions you would like and we'll gladly offer a tailor-made quotation.

## Optional LED-lighting

The Catwalker has a black plastic side finish by default (left photo). You can also choose optional LED lighting with your conveyor belt (right photo).



## Placing the conveyor belt on presentation furniture

The Catwalker can be mounted on top of your furniture or flush with its surface. **Important:** the furniture must be flat and mustn't bend under the weight. Simply place the conveyor on your existing bar, a table or our specially-designed furniture. All that's required is a little cut-out in your furniture for the 20-centimetre motor(s) underneath the sushi belt. You can also mount the conveyor belt flush with your furniture; this way, only the top surface of the conveyor will be visible.

## Control box

- Measurements: 30 x 20 x 8 cm.
- Control: start, stop and speed.
- From the control box, a single cable runs to the motor(s) underneath the conveyor.
- The Catwalker runs clockwise by default.




## Questions?

You can also check out the Catwalker Twin Lane [online](#). There you'll find all the specifications of this presentation system and much more. Do you have any questions about this conveyor belt? Feel free to contact Pre-Motion anytime!


### Catwalker Twin Lane modules

The display conveyor is 7 cm high and 50 cm wide (by default). Especially for restaurants, we also offer optional modules that are 40 cm wide. The Twin Lane has straight corners by default. If so desired, Pre-Motion can also produce a sushi belt with round corners for you.


#### Straight modules




#### T-module



#### Curved module



#### End module



#### Motor underneath the conveyor (side view)

